

Safety Data Sheet Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Page: 1/9 (30035200/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Basagran Forte

Recommended use of the chemical and restriction on use

Recommended use*: herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF Canada Inc. 100 Milverton Drive Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666 BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula:C(10) H(11) N(2) O(3) S NaChemical family:benzothiadiazolePCP # 22006/29417sodium bentazon

2. Hazards Identification

According to Controlled Products Regulations (CPR) (SOR/88-66)

Emergency overview

WARNING: POISON. Contains the allergen soy. Potential skin sensitizer. DANGER:

Safety Data Sheet Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Page: 2/9 (30035200/SDS_CPA_CA/EN)

Corrosive to eyes.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

CAS NumberWeight %
55.9 %Chemical name
bentazon sodium

According to Controlled Products Regulations (CPR) (SOR/88-66)

CAS NumberWeight %
44.0 %Chemical name
bentazon sodium

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrocarbons, nitrogen oxides, sulfur oxides If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Keep container tightly sealed. Protect against heat. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion: No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No occupational exposure limits known.

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified air purifying respirator.

Hand protection:

Chemical resistant protective gloves, Suitable materials, rubber, plastic

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: Odour: Odour threshold: Colour: pH value:	liquid almost odourless Not determined since harmful by inhalation red approx. 7 - 9 (1 %(m), 20 °C) -12.5 °C	٦.
crystallization temperature:	-12.5 C	
Boiling point:	approx. 100 °C (1,013.25 hPa) Information applies to the solvent.	
Flash point:	Non-flammable.	
Flammability:	not flammable	(Directive 92/69/EEC, A.12)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	02,00,220,742
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	480 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	not determined	02,00,220,,,,,,,0)

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

rsion: 4.1		(30035200/SDS_CPA_CA/EN)
Density:	approx. 1.19 g/cm3 (20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-	The statements are based on	the
octanol/water (log Pow):	properties of the individual	
	components.	
Thermal decomposition:	carbon monoxide, carbon diox dioxide, Hydrocarbons	xide, nitrogen oxide, Sulphur
	Stable at ambient temperature	e If product is heated above
		oxic vapours may be released. If
	· · ·	mposition temperature hazardous
	fumes may be released.	
Viscosity, dynamic:	approx. 87 mPa.s (20 °C)	(OECD 114)
Solubility in water:	fully soluble	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on o parameters is indicated in this	

Page: 5/9

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing. (Directive 92/69/EEC, A.17)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, Sulphur dioxide, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term inhalation. Slightly toxic after short-term skin contact.

<u>Oral</u>

Type of value: LD50 Species: rat Value: 1,089 mg/kg Moderately toxic.

Inhalation Type of value: LC50 Species: rat Value: > 1.66 mg/l Exposure time: 4 h Highly toxic.

Dermal Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg (OECD Guideline 402) No mortality was observed.

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. May cause slight irritation to the skin.

<u>Skin</u> Species: rabbit Result: Slightly irritating. Method: OECD Guideline 404

<u>Eye</u> Species: rabbit Result: Irritating.

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. Caused skin sensitization in animal studies.

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organtoxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Acutely toxic for fish. Acutely toxic for aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish LC50 (96 h) approx. 2.2 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Aquatic invertebrates

EC50 (48 h) 1.99 mg/l, Daphnia magna (Directive 84/449/EEC, C.2)

LC50 (48 h) 4.91 mg/l, Daphnia magna

Aquatic plants

EC10 (72 h) 0.77 mg/l (growth rate), Ankistrodesmus bibraianus (OECD Guideline 201)

EC50 (72 h) 2.71 mg/l (growth rate), Ankistrodesmus bibraianus (OECD Guideline 201)

EC10 (7 d) 1 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

EC50 (7 d) 26.6 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

<u>Chronic toxicity to fish</u> No observed effect concentration (28 d) 0.1 mg/l, Oncorhynchus mykiss (OECD Guideline 204)

<u>Assessment of terrestrial toxicity</u> Acutely harmful to terrestrial organisms.

Bioaccumulative potential

Assessment bioaccumulation potential

Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land	transport
TDG	

Not classified as a dangerous good under transport regulations

Sea transport

Hazard class:9Packing group:IIIID number:UN 3082Hazard label:9, EHSMMarine pollutant:YESProper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

Basagran Forte

Revision date : 2016/11/02 Version: 4.1

Page: 9/9 (30035200/SDS_CPA_CA/EN)

N.O.S. (contains FATTY ALCOHOL ALCOXYLATE)

Air transport IATA/ICAO	
Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FATTY ALCOHOL ALCOXYLATE)

15. Regulatory Information

Federal Regulations

Registration status:
ChemicalDSL, CAreleased; restriction on quantity / not listedCrop ProtectionDSL, CA released / exempt

According to Controlled Products Regulations (CPR) (SOR/88-66)

WHMIS does not apply to this product.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/11/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET