

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 1/10  
(30520825/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## CABRIO PLUS

#### Recommended use of the chemical and restriction on use

Recommended use\*: fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

PCP # 30395

Synonyms: Metiram; Pyraclostrobin

---

### 2. Hazards Identification

#### According to Controlled Products Regulations (CPR) (SOR/88-66)

##### Emergency overview

Skin Irritant  
WARNING:  
POISON.  
Contains the allergen soy.  
Eye irritant.  
KEEP OUT OF REACH OF CHILDREN.  
HARMFUL IF SWALLOWED.

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 2/10  
(30520825/SDS\_CPA\_CA/EN)

May be fatal if swallowed.  
May cause eye irritation.  
May cause skin irritation.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling.

---

### 3. Composition / Information on Ingredients

#### According to Controlled Products Regulations (CPR) (SOR/88-66)

Not WHMIS controlled.

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Wash thoroughly with soap and water.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
dry powder, foam, water spray

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 3/10  
(30520825/SDS\_CPA\_CA/EN)

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 4/10  
(30520825/SDS\_CPA\_CA/EN)

### 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

#### **Components with occupational exposure limits**

Silica gel, precipitated, crystalline free	OSHA PEL	TWA value 6 mg/m <sup>3</sup> ; TWA value 0.8 mg/m <sup>3</sup> ; The exposure limit is calculated from the equation, 80/(%SiO <sub>2</sub> ), using a value of 100% SiO <sub>2</sub> . Lower percentages of SiO <sub>2</sub> will yield higher exposure limits. TWA value 20 millions of particles per cubic foot of air ;
--	----------	---

#### **Personal protective equipment**

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

##### **General safety and hygiene measures:**

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form:	granules
Odour:	aromatic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	brown

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 5/10  
(30520825/SDS\_CPA\_CA/EN)

pH value:	approx. 5 - 7 ( 1 %(m), 20 °C) (as suspension)	
onset of melting:	> 120 °C	
Boiling point:	The product is a non-volatile solid.	
Flash point:	not applicable	
Flammability:	not highly flammable	(Directive 92/69/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Vapour pressure:	not applicable	
Density:	approx. 1.67 g/cm <sup>3</sup> ( 20 °C) approx. 1.663 g/cm <sup>3</sup> ( 55 °C)	(Directive 92/69/EEC, A.3) (calculated)
Vapour density:	not applicable	
Self-ignition temperature:	approx. 199 °C	(Directive 92/69/EEC, A.16)
Thermal decomposition:	150 °C, 150 kJ/kg (DSC (OECD 113)) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	not applicable, the product is a solid	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 6/10  
(30520825/SDS\_CPA\_CA/EN)

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

150 °C, 2.5 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Oral

Type of value: LD50

Species: rat (male/female)

Value: > 500 - < 2,000 mg/kg (OECD Guideline 423)

#### Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.6 mg/l (OECD Guideline 403)

Exposure time: 4 h

#### Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: May cause moderate irritation to the skin. May cause moderate but temporary irritation to the eyes.

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 7/10  
(30520825/SDS\_CPA\_CA/EN)

### Skin

Species: rabbit  
Result: Irritant.  
Method: OECD Guideline 404

### Eye

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

modified Buehler test

Species: guinea pig  
Result: Skin sensitizing effects were not observed in animal studies.  
Method: OECD Guideline 406

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: metiram*

*Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs.*

*Information on: Pyraclostrobin*

*Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

*Information on: Silicon dioxide*

*Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.*

*Repeated oral uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 8/10  
(30520825/SDS\_CPA\_CA/EN)

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

### **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

#### Toxicity to fish

*Information on: Metiram*

LC50 (96 h) 1.1 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) 85 mg/l, *Cyprinus carpio*

*Information on: pyraclostrobin*

LC50 (96 h) > 0.0121 - < 0.0258 mg/l, *Cyprinus carpio*

LC50 (96 h) > 0.0196 - < 0.0335 mg/l, *Lepomis macrochirus*

LC50 (96 h) 0.00616 mg/l, *Oncorhynchus mykiss*

-----

#### Aquatic invertebrates

*Information on: Metiram*

EC50 (48 h) 2.55 mg/l, *Daphnia magna*

*Information on: pyraclostrobin*

EC50 (48 h) 0.0157 mg/l, *Daphnia magna*

-----

#### Aquatic plants

*Information on: Metiram*

EC50 (96 h) 0.3 mg/l, *Chlorella fusca*

*Information on: pyraclostrobin*

EC50 (96 h) > 0.843 mg/l, *Pseudokirchneriella subcapitata*

-----

### **Bioaccumulative potential**

#### Bioaccumulation potential

*Information on: metiram*



# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 9/10  
(30520825/SDS\_CPA\_CA/EN)

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

*Information on: Pyraclostrobin*

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)  
Accumulation in organisms is not to be expected.*

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: metiram*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: Pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

See product label for disposal and recycling instructions.

### **Container disposal:**

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### **Land transport**

TDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHS
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains METIRAM, PYRACLOSTROBIN)

### **Sea transport**

IMDG

# Safety Data Sheet

## CABRIO PLUS

Revision date : 2016/10/19  
Version: 4.0

Page: 10/10  
(30520825/SDS\_CPA\_CA/EN)

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains METIRAM, PYRACLOSTROBIN)

### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHS  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains METIRAM, PYRACLOSTROBIN)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection DSL, CA released / exempt

Chemical DSL, CA blocked / not listed

### According to Controlled Products Regulations (CPR) (SOR/88-66)

WHMIS does not apply to this product.

**THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.**

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2016/10/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET