

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

1/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name CALYPSO® 480 SC INSECTICIDE
Product code (UVP) 06265790
SDS Number 102000008338
PCP Registration No. 28429

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Skin sensitisation: Category 1
Carcinogenicity: Category 2
Acute toxicity(Oral, Inhalation): Category 4
Reproductive toxicity: Category 1B
Specific target organ toxicity - single exposure: Category 3

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Danger

Hazard statements

May cause an allergic skin reaction.

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

2/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

Suspected of causing cancer.
Harmful if swallowed or if inhaled.
May damage fertility or the unborn child.
May cause respiratory irritation.

Precautionary statements

Avoid breathing mist/ spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
IF ON SKIN: Wash with plenty of water/ soap.
If skin irritation or rash occurs: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
IF exposed or concerned: Get medical advice/ attention.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|--------------------------|-------------|---------------------------|
| Thiacloprid | 111988-49-9 | 40.4 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|--|
| General advice | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. |
| Skin contact | Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately. |

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

3/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

| | |
|---|--|
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |
| Most important symptoms and effects, both acute and delayed | |
| Symptoms | To date no symptoms are known. |
| Indication of any immediate medical attention and special treatment needed | |
| Treatment | Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote. |

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

| | |
|-------------------|--|
| Suitable | Water spray, Foam, Dry powder, Carbon dioxide (CO ₂), Sand |
| Unsuitable | High volume water jet |

Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Carbon monoxide (CO), Nitrogen oxides (NO_x), Hydrogen cyanide (hydrocyanic acid), Sulphur oxides

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

| | |
|----------------------------------|-------------------|
| Flash point | > 93.3 °C |
| Auto-ignition temperature | No data available |
| Lower explosion limit | No data available |
| Upper explosion limit | No data available |
| Explosivity | Not applicable |

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

4/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow product to contact non-target plants. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|-------------|-------------|---------------------------------|--------|----------|
| Thiacloprid | 111988-49-9 | 0.34 mg/m ³ (TWA) | | OES BCS* |

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

5/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

| | |
|------------------------------------|--|
| Respiratory protection | When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations. |
| Hand protection | Chemical resistant nitrile rubber gloves |
| Eye protection | Safety glasses with side-shields |
| Skin and body protection | Wear long-sleeved shirt and long pants and shoes plus socks. |
| General protective measures | Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Appearance | white to beige |
| Physical State | suspension |
| Odor | very faint |
| Odour Threshold | No data available |
| pH | 7.0 - 9.0 (5 %) (23 °C) (CIPAC D water (342ppm)) dispersion in water |
| Vapor Pressure | No data available |
| Vapor Density (Air = 1) | No data available |
| Density | 1.18 g/cm ³ (20 °C) |
| Evaporation rate | No data available |
| Boiling Point | No data available |
| Melting / Freezing Point | No data available |
| Water solubility | dispersible |
| Minimum Ignition Energy | Not applicable |
| Decomposition temperature | Not applicable |
| Partition coefficient: n-octanol/water | No data available |
| Viscosity | 1,000 - 1,200 mPa.s (25 °C) |

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

6/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

| | |
|----------------------------------|-------------------|
| Flash point | > 93.3 °C |
| Auto-ignition temperature | No data available |
| Lower explosion limit | No data available |
| Upper explosion limit | No data available |
| Explosivity | Not applicable |

SECTION 10: STABILITY AND REACTIVITY

Reactivity

| | |
|---|--|
| Thermal decomposition | Not applicable |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | No hazardous reactions when stored and handled according to prescribed instructions. |
| Conditions to avoid | Extremes of temperature and direct sunlight. |
| Incompatible materials | No data available |
| Hazardous decomposition products | No decomposition products expected under normal conditions of use. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|---|--|
| Exposure routes | Eye contact, Skin contact, Skin Absorption, Inhalation, Ingestion |
| Immediate Effects | |
| Eye | May cause eye irritation. |
| Skin | Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. |
| Ingestion | May be fatal if swallowed. |
| Inhalation | Harmful if inhaled. |
| Information on toxicological effects | |
| Acute oral toxicity | LD50 (Rat) > 300 - < 500 mg/kg |
| Acute inhalation toxicity | LC50 (female Rat) > 1.0 - < 2.2 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. LC50 (male Rat) > 2.2 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. |
| Acute dermal toxicity | LD50 (Rat) > 4,000 mg/kg |

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

7/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

| | |
|--|---|
| Skin corrosion/irritation | No skin irritation (Rabbit) |
| Serious eye damage/eye irritation | No eye irritation (Rabbit) |
| Respiratory or skin sensitisation | Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test |

Assessment STOT Specific target organ toxicity – repeated exposure

Thiacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Thiacloprid was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Thiacloprid caused at high dose levels an increased incidence of tumours in rats in the following organ(s): uterus, Thyroid.

Thiacloprid caused at high dose levels an increased incidence of tumours in mice in the following organ(s): ovaries. The tumours seen with Thiacloprid were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Thiacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Thiacloprid caused difficulties in parturition in rats. The mechanism of action for this effect is not considered to be relevant to man.

Assessment developmental toxicity

Thiacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Thiacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

8/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

| | |
|--|--|
| Toxicity to fish | LC50 (Lepomis macrochirus (Bluegill sunfish)) 80.7 mg/l Exposure time: 96 h |
| Toxicity to aquatic invertebrates | EC50 (Daphnia (water flea)) \geq 85.1 mg/l Exposure time: 48 h |
| Toxicity to aquatic plants | IC50 (Desmodesmus subspicatus (green algae)) 96.7 mg/l Exposure time: 72 h IC50 (Raphidocelis subcapitata (freshwater green alga)) $>$ 100 mg/l Exposure time: 72 h |
| Biodegradability | Thiacloprid: Not rapidly biodegradable |
| Koc | Thiacloprid: Koc: 615 |
| Bioaccumulation | Thiacloprid: Does not bioaccumulate. |
| Mobility in soil | Thiacloprid: Slightly mobile in soils |
| Environmental precautions | Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants. |

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|--|
| Product | It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain. |
| Contaminated packaging | Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet. |

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SAFETY DATA SHEET



CALYPSO® 480 SC INSECTICIDE

Version 2.0 / CDN
102000008338

9/9
Revision Date: 11/09/2018
Print Date: 11/09/2018

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., POISON, OTHER THAN GASES THAT ARE POISONOUS BY INHALATION

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 28429

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

| | |
|---------|---|
| 49CFR | Code of Federal Regulations, Title 49 |
| ACGIH | US. ACGIH Threshold Limit Values |
| ATE | Acute toxicity estimate |
| CAS-Nr. | Chemical Abstracts Service number |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| EINECS | European inventory of existing commercial substances |
| ELINCS | European list of notified chemical substances |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| N.O.S. | Not otherwise specified |
| NTP | US. National Toxicology Program (NTP) Report on Carcinogens |
| OECD | Organization for Economic Co-operation and Development |
| TDG | Transportation of Dangerous Goods |
| TWA | Time weighted average |
| UN | United Nations |
| WHO | World health organisation |

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 11/09/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.