

**Product Name:**  
**Canopy™ PRO Herbicide**

Canopy™ PRO is a combination package of products:

Classic™ Herbicide

PCP # 29416

SDS Date: 04/05/2019

Ref: 130000121249

TriCor\* 75 DF Herbicide

PCP # 30661

SDS Date: 01/06/2019

Safety data sheets are attached.

**Manufacturer/Distributor:**

Production Agriscience Canada Company

P.O. Box 730, 7398 Queens Line

Chatham, Ontario N7M 5L1

**Telephone Numbers:**

Product Information: 1-800-667-3852

Medical Emergency: 1-800-667-3852 (24 hours)

Preparation Date: April 5, 2019

®/™ Registered trademark/trademarks of Production Agriscience Canada Company.  
Production Agriscience Canada Company is a licensed user. Member of CropLife

\*All other products mentioned are trademarks of their respective companies.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Classic™ Herbicide  
SDS Number : 130000121249  
Product Use : Herbicide  
Manufacturer : Production Agriscience Canada Company  
P.O. Box 730, 7398 Queen's Line  
Chatham, Ontario  
N7M 5L1  
Canada  
Product Information : 1-800-667-3852  
Medical Emergency : 1-800-441-3637 (24 hours)

**SECTION 2. HAZARDS IDENTIFICATION**

Emergency Overview

Caution

May irritate eyes, nose, throat or skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Repeated exposure

Quartz : DuPont has classified this material as a known human carcinogen.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019  
Revision Date : 04/01/2019

Ref. 130000121249

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Chlorimuron ethyl	90982-32-4	25 %
Other Ingredients		75 %

Present as an impurity in the clay component of this product:

Titanium Dioxide		<1 %
Quartz		<1 %

**SECTION 4. FIRST AID MEASURES**

- Skin contact** : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact** : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation** : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- General advice** : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
For medical emergencies involving this product, call toll free 1-800-441-3637.  
See Label for Additional Precautions and Directions for Use.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

**SECTION 5. FIREFIGHTING MEASURES**

Flammable Properties

Ignition temperature : 330 °C (626 °F)

Lower explosion limit/ Lower flammability limit : 0.212 g/l

Fire and Explosion Hazard : Under severe dusting conditions, this material may form explosive mixtures in air.

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear suitable protective equipment.  
If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Use water spray. Runoff from fire control may be a pollution hazard. Control Runoff.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Dike spill. Prevent further leakage or spillage. Shovel or sweep up. Dispose of in an approved container. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately. If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash the outside of gloves before removing. Wash thoroughly and put on clean clothing.
  
- Handling (Physical Aspects) : Avoid dust formation.
  
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep out of the reach of children.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. **IMPORTANT:** When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

Personal protective equipment

- Skin and body protection : Applicators and other handlers must wear:
  - Long sleeved shirt and long pants
  - Chemical resistant gloves made of any waterproof material
  - Polyvinylchloride
  - Shoes plus socks
  
- PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of any waterproof material

Polyvinylchloride

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.

Exposure Guidelines

Exposure Limit Values

<b>Chlorimuron ethyl</b>			
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA Respirable dust.

<b>Titanium dioxide</b>			
TLV	(ACGIH)	10 mg/m3	8-hour, time-weighted average Titanium dioxide

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

		Lower Respiratory Tract irritation Not classifiable as a human carcinogen
AEL *	(DuPont)	10 mg/m3 8 & 12 hr. TWA Total dust.
AEL *	(DuPont)	5 mg/m3 8 & 12 hr. TWA Respirable dust.

<b>Quartz</b>		
TLV	(ACGIH)	0.025 mg/m3 8-hour, time-weighted average Respirable fraction Silica  Lung cancer Pulmonary fibrosis Suspected human carcinogen
AEL *	(DuPont)	0.01 mg/m3 12 hr. TWA Respirable dust.
AEL *	(DuPont)	0.02 mg/m3 8 hr. TWA Respirable dust.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : solid, granules  
Color : ivory  
Odor : none  
Bulk density : loose  
Water solubility : dispersible

**SECTION 10. STABILITY AND REACTIVITY**

Stability : Stable at normal temperatures and storage conditions.  
Incompatibility : None reasonably foreseeable.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

**SECTION 11. TOXICOLOGICAL INFORMATION**

Classic™ Herbicide

- Inhalation 4 h LC50 : > 5.0 mg/l , Rat
- Dermal LD50 : > 2,000 mg/kg , Rabbit
- Oral LD50 : > 5,000 mg/kg , Rat
- Skin irritation : No skin irritation, Rabbit
- Eye irritation : slight irritation, Rabbit
- Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

Chlorimuron ethyl

- Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
  - Dermal  
Rabbit  
No toxicologically significant effects were found.
  - Oral  
Dog  
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Abnormal decrease in number of red blood cells
  - Oral  
Rat  
No adverse effect has been observed in chronic toxicity tests.
- Carcinogenicity : Not classifiable as a human carcinogen.  
Animal testing did not show any carcinogenic effects.
- Reproductive toxicity : No toxicity to reproduction



**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Titanium Dioxide  
Carcinogenicity : Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Quartz  
Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Inhalation  
Fluid retention in lungs (pulmonary oedema), lung effects, Inflammation, Chronic lung disease, Fibrosis

Carcinogenicity : Human carcinogen.  
  
DuPont has classified this material as a known human carcinogen.

**SECTION 12. ECOLOGICAL INFORMATION**

Aquatic Toxicity  
Chlorimuron ethyl

96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) > 100 mg/l
72 h EC50	:	Pseudokirchneriella subcapitata (green algae) 0.001 mg/l
48 h EC50	:	Daphnia magna (Water flea) > 1,000 mg/l

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:  
Refer to the product label for instructions.

**SECTION 14. TRANSPORT INFORMATION**

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Chlorimuron ethyl)

Not regulated as a hazardous material by TDG.

**SECTION 15. REGULATORY INFORMATION**

PCP Registration # : 29416  
Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.  
No substances are subject to a Significant New Activity Notification.

**Classic™ Herbicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249  
Revision Date : 04/01/2019

**SECTION 16. OTHER INFORMATION**

MSDS preparation date : 04/01/2019

(TM) Trademark of E.I. du Pont de Nemours and Company.

Contact person : Production Agriscience Canada Company, Chatham, Ontario, N7M 5L1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Chemical name	CAS No	Weight-%
Kaolin	1332-58-7	8.6
Metribuzin technical	21087-64-9	75

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

#### 4. First aid measures

##### FIRST AID MEASURES

<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin contact</b>	Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>Inhalation</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

##### Most Important Symptoms and Effects, Both Acute and Delayed

**Most Important Symptoms and Effects** no data available.

##### Indication of Any Immediate Medical Attention and Special Treatment Needed

**Notes to physician** No information available. Treat symptomatically.

#### 5. Fire-fighting measures

##### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** no data available.

##### Specific hazards arising from the chemical

No information available.

**Hazardous combustion products** Dust clouds generated during handling and/or storage can form explosive mixtures with air. Dust explosion characteristics vary with the particle size, particle shape, moisture content, contaminants, and other variables.

As with any dry material, pouring this material or allowing it to free fall or be conveyed through chutes or pipes can accumulate and generate electrostatic sparks, potentially causing ignition of the material itself, or any flammable materials which may come into contact with the material or its container. Check that all equipment is properly grounded and installed to satisfy electrical classification requirements. Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Methyl mercaptan. Amines.

##### Explosion data

##### Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with skin and eyes.

### Environmental Precautions

**Environmental precautions** Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

### Methods and material for containment and cleaning up

**Methods for Clean-Up** Sweep up and shovel into suitable containers for disposal.

## 7. Handling and Storage

### Precautions for safe handling

**Handling** Keep out of reach of children. Fine dust dispersed in air may ignite. Avoid dust formation in confined areas. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a cool, well-ventilated place.

**incompatible materials** ketones. Aldehydes.

## 8. Exposure Controls/Personal Protection

### Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction
Metribuzin technical	TWA: 5 mg/m <sup>3</sup>	(vacated) TWA: 5 mg/m <sup>3</sup>

**Engineering controls** Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems. PESTICIDE APPLICATORS & WORKERS. THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

### Personal protective equipment

#### **Eye/Face Protection**

Eye contact should be avoided through the use of chemical safety glasses, goggles, or a faceshield selected in regard to exposure potential.

#### **Skin protection**

Wear protective gloves/clothing. Socks and footwear.

#### **Respiratory protection**

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Wash hands and face before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

## 9. Physical and Chemical Properties

**Information on basic physical and chemical properties**

<b>Physical state</b>	granular	<b>Odor</b>	sweet Musty
<b>Appearance</b>	Light Tan		
<b>color</b>	No information available		

<u>Property</u>	<u>VALUES</u>	<u>Remarks/ • Method</u>
pH	8.9	(1% aq)
Melting point/freezing point	9.9 °C / 50 °F	
Boiling Point/Range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability limit in air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
vapor pressure	1.2 X 10 <sup>-7</sup> mmHg @ 20 C	
Vapor Density	No information available	
Specific gravity	No information available	
Water solubility	No information available	
Solubility in Other Solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	no data available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

**OTHER INFORMATION**

<b>Softening point</b>	No information available
<b>molecular weight</b>	No information available
<b>VOC Content</b>	No information available
<b>Liquid Density</b>	No information available

## 10. Stability and Reactivity

**Reactivity**

no data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to avoid**

Sustained temperatures above 100 F.

**incompatible materials**

ketones. Aldehydes.

**Hazardous decomposition products**Carbon dioxide (CO<sub>2</sub>). Oxides of sulfur. Amines. Methyl mercaptans.**11. Toxicological Information****Information on Likely Routes of Exposure****Product information**

Metri/TriCor DF-Acute oral LD50 rat = 2379 mg/kg (male) 2794 mg/kg (female) Acute dermal LD50 rabbit = >5,000 mg/kg Eye - rabbit = Minimal irritation to the conjunctiva was observed with all irritation resolving within 4 days. Skin effects- rabbit = Not a dermal irritant

Metribuzin - In a three week dermal toxicity study, rabbits were treated with metribuzin at doses of 40, 200, and 1000 mg/kg for 6 hr/dy, 5 dys/wk. The high dose evidence of increased cholesterol levels and liver enzyme function was noted. Thyroxine levels were increased at doses of 200 mg/kg and above. All of these effects were slight and reversible. The NOEL was 40 mg/kg. In subacute inhalation studies, rats were exposed to aerosol concentrations of metribuzin ranging from 31 to 745 mg/cubic meter for 6 hr/dy, 5 dys/wk, for 3 weeks. Effects observed included behavioral changes, decreased body weight gains, liver enzyme induction and organ weight effects. The NOEC was 31 mg/cubic meter. Oral LD50 (rat) = 2,194 mg/kg Dermal LD50 (rat) = >5,000 mg/kg Inhalation LC50 (4 hr rat) = 0.709 mg/L

**Inhalation**

May cause irritation of respiratory tract.

**Eye contact**

Irritating to eyes.

**Skin contact**

May cause irritation.

**Ingestion**

MAY BE HARMFUL IF SWALLOWED.

**Information on Toxicological Effects****Symptoms**

No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization**

No information available.

**Mutagenic effects**

no data available.

**Carcinogenicity**

The information below indicates whether any agency has listed any ingredient as a carcinogen.

**Reproductive effects**

Not Available.

**STOT - Single Exposure**

no data available.

**STOT - Repeated Exposure**

no data available.

**Target organ effects**

liver, Respiratory System, Central Nervous System (CNS), Thyroid.

**Aspiration hazard**

No information available.

**Numerical Measures of Toxicity - Product information****LD50 Oral**

2379 mg/kg (rat)

**LD50 Dermal**

&gt; 5000 mg/kg (rat)

**LC50 Inhalation**

No information available

**12. Ecological Information****ecotoxicity**

Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do



not clean equipment or dispose of equipment washwater in a manner that will contaminate water resources or areable land. Do not apply when weather conditions favor drift from treated areas.

**Persistence/Degradability**

no data available.

**Bioaccumulation/ Accumulation**

No information available.

**Other Adverse Effects**

no data available

### 13. Disposal Considerations

**Waste Treatment Methods****Waste Disposal Method**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Contaminated packaging**

Refer to product label.

### 14. Transport Information

**DOT**

NOT REGULATED

**TDG**

NOT REGULATED

**IATA**

NOT REGULATED

**IMDG**

NOT REGULATED

### 15. Regulatory Information

This chemical/product is a pesticide product registered by the PMRA and is subject to specific label requirements under these regulations. The requirements may differ classification and hazard information required for safety data sheets and for labels of non-pesticide products. The following is information as required on the registered product label.

**signal word**

CAUTION

**Harmful if swallowed or absorbed through the skin. Harmful if inhaled.**

**International Inventories****USINV**

Not present

DSL/NDSL	Not present
EINECS/ ELINCS	Not Present
ENCS	Not Present
China	Not Present
KECL	Not Present
PICCS	Not Present
AICS	Not Present
TSCA	Not Present

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

#### CERCLA

Not applicable

#### CERCLA

**SARA Product RQ** 0

#### RCRA

### Pesticide Information

#### State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

#### State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Kaolin - 1332-58-7	X	X	X		
Metribuzin technical - 21087-64-9	X	X	X		

#### International regulations

#### U.S. EPA Label information

EPA Pesticide registration number PMRA 30661

### 16. Other Information

**NFPA** HEALTH 1 flammability 1 Instability 0 Physical hazard -

Preparation Date 18-Dec-2017

Revision date 06-Jan-2019

#### **Revision Summary**

Update logo Update section 1 Update Section 16

#### Disclaimer

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

**End of SDS**