

Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Classic™ Herbicide

SDS Number : 130000121249

Product Use : Herbicide

Manufacturer : Production Agriscience Canada Company

P.O. Box 730, 7398 Queen's Line

Chatham, Ontario

N7M 5L1 Canada

Product Information : 1-800-667-3852

Medical Emergency : 1-800-441-3637 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

May irritate eyes, nose, throat or skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Repeated exposure

Quartz : DuPont has classified this material as a known human carcinogen.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP. or OSHA, as a carcinogen.



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Chlorimuron ethyl	90982-32-4	25 %
Other Ingredients		75 %

Present as an impurity in the clay component of this product:

Titanium Dioxide				<1 %
Quartz				<1 %
Quartz				~1 70
Quartz				<1 /0

SECTION 4. FIRST AID MEASURES

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Ignition temperature : 330 °C (626 °F)

Lower explosion limit/ Lower

flammability limit

: 0.212 g/l

Fire and Explosion Hazard : Under severe dusting conditions, this material may form explosive mixtures in

air.

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear suitable

protective equipment.

If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Use water spray. Runoff

from fire control may be a pollution hazard. Control Runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Dike spill. Prevent further leakage or spillage. Shovel or sweep up. Dispose of

in an approved container. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately. If spill area is on ground near valuable plants or trees,

remove 5 cm of top soil after initial clean-up.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash the outside of gloves

before removing. Wash thoroughly and put on clean clothing.

Handling (Physical Aspects) : Avoid dust formation.

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Use only with adequate ventilation. When handlers use closed systems,

enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Chemical resistant gloves made of any waterproof material

Polyvinylchloride

Shoes plus socks

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

4/10



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of any waterproof material

Polyvinylchloride

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical

damage or if contaminated.

Exposure Guidelines

Exposure Limit Values

Chlorimuron ethyl				
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA	Total dust.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA	Respirable dust.

Titanium dioxide			
TLV	(ACGIH)	10 mg/m3	8-hour, time-weighted average Titanium dioxide



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

		Lower Respiratory Tract irritation Not classifiable as a human carcinogen		
AEL *	(DuPont)	10 mg/m3	8 & 12 hr. TWA	Total dust.
AEL *	(DuPont)	5 mg/m3	8 & 12 hr. TWA	Respirable dust.

Quartz		
TLV	(ACGIH)	0.025 mg/m3 8-hour, time-weighted average Respirable fraction Silica
		Lung cancer Pulmonary fibrosis Suspected human carcinogen
AEL *	(DuPont)	0.01 mg/m3 12 hr. TWA Respirable dust.
AEL *	(DuPont)	0.02 mg/m3 8 hr. TWA Respirable dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid, granules

Color : ivory
Odor : none
Bulk density : loose
Water solubility : dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.

Incompatibility : None reasonably foreseeable.

6/10



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 11. TOXICOLOGICAL INFORMATION

Classic[™] Herbicide

Inhalation 4 h LC50 : > 5.0 mg/l, Rat

Dermal LD50 : > 2,000 mg/kg , Rabbit

Oral LD50 : > 5,000 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : slight irritation, Rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

Chlorimuron ethyl

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Dermal Rabbit

No toxicologically significant effects were found.

Oral Dog

No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Abnormal decrease in number of red blood cells

Oral Rat

No adverse effect has been observed in chronic toxicity tests.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Reproductive toxicity : No toxicity to reproduction



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Titanium Dioxide

Carcinogenicity : Based upon all available study results, DuPont scientists conclude

that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Quartz

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Inhalation

Fluid retention in lungs (pulmonary oedema), lung effects,

Inflammation, Chronic lung disease, Fibrosis

Carcinogenicity : Human carcinogen.

DuPont has classified this material as a known human carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity
Chlorimuron ethyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 100 mg/l

72 h EC50 : Pseudokirchneriella subcapitata (green algae) 0.001 mg/l

48 h EC50 : Daphnia magna (Water flea) > 1,000 mg/l

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas

where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment

or disposing of equipment washwaters or rinsate. Do not apply

where/when conditions favour runoff.



Classic™ Herbicide

Version 3.0

IMDG

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Container disposal: : Container Refilling and Disposal:

Refer to the product label for instructions.

SECTION 14. TRANSPORT INFORMATION

IATA C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Chlorimuron ethyl)

Class : 9
Packing group : III
Labelling No. : 9
UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Chlorimuron ethyl)

Class : 9
Packing group : III
Labelling No. : 9

Marine pollutant : yes (Chlorimuron ethyl)

Not regulated as a hazardous material by TDG.

SECTION 15. REGULATORY INFORMATION

PCP Registration # : 29416

Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

No substances are subject to a Significant New Activity Notification.



Classic™ Herbicide

Version 3.0

Issue Date : 04/05/2019 Ref. 130000121249

Revision Date : 04/01/2019

SECTION 16. OTHER INFORMATION

MSDS preparation date : 04/01/2019

(TM) Trademark of E.I. du Pont de Nemours and Company.

Contact person : Production Agriscience Canada Company, Chatham, Ontario, N7M 5L1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.