

1. Product and Company Identification

Material name	DACTHAL W-75 Herbicide
Version #	01
Issue date	07-16-2015
CAS #	Mixture
MSDS Number	291
EPA Registration number	EPA: 5481-490; 5481-491
Pest Control Products Act (Canada)	WHMIS: 8963
Manufacturer information	AMVAC Chemical Corporation 4100 E Washington Blvd Los Angeles, CA 90023 USA CustServ@Amvac-Chemical.com www.Amvac-Chemical.com AMVAC Chemical Corp 323-264-3910 AMVAC Chemical Corp 323-268-1028 (FAX) CHEMTREC® (Outside USA) +1-703-527-3887 CHEMTREC® (USA+Canada) 800-424-9300 Medical 888-681-4261 Product Use 888-462-6822
2. Hazards Identification	
Emergency overview	CAUTION
	Keep out of Reach of Children. Harmful if swallowed. Avoid contact with the eyes and skin.
Potential health effects	
Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Eyes	Contact with eyes may cause irritation. Avoid contact with eyes.
Skin	May cause skin irritation. Avoid contact with the skin.
Inhalation	Dusts of this product may cause irritation of the nose, throat, and respiratory tract. Prolonged inhalation may be harmful.
Ingestion	Irritating. May cause nausea, stomach pain and vomiting.
Chronic effects	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Signs and symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Potential environmental effects May cause long-term adverse effects in the environment.

Non-hazardous components	CAS #	Percent
DCPA (Dimethyl tetracloroterephthalate)	1861-32-1	75
Additional components	CAS #	Percent
Inert Ingredients (May contain clay which may contain >0.1% crystalline silica)	N/A	25

4. First Aid Measures

First aid procedures	
Inhalation	Avoid breathing dust. Move to fresh air. Get medical attention, if needed.
Skin contact	Remove and isolate contaminated clothing and shoes. Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Eye contact	Flush eyes immediately with large amounts of water. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. Have person sip a glass of water if able to swallow. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Notes to physician	Treat symptomatically.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire Fighting Measures	
Flammable properties	Not flammable by WHMIS criteria.
Extinguishing media Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Protection of firefighters	
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Explosion data	
Sensitivity to static discharge	None known.
Sensitivity to mechanical impact	None known.
Hazardous combustion products	This product will emit hazardous fumes and smoke of unknown composition when heated excessively or burned.
6. Accidental Release Mea	sures
Personal precautions	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch

Personal precautions	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the MSDS.
Environmental precautions	Do not contaminate water.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewer, basements or confined areas.
Methods for cleaning up	Wear appropriate protective equipment and clothing during clean-up. Should not be released into the environment. Dike far ahead of spill for later disposal. Avoid the generation of dusts during clean-up. Clean up in accordance with all applicable regulations. For waste disposal, see section 13 of the SDS.
Other information	Clean up in accordance with all applicable regulations.
7. Handling and Storage	
Handling	Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with eyes, skin, and clothing. When using do not eat or drink. Do not use in areas without adequate ventilation. Wash thoroughly after handling. Avoid release to the environment.
Storage	Store locked up. Store in a cool, dry place out of direct sunlight. Store in a closed container away from incompatible materials. Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Occupational exposure limits			
US. ACGIH Threshold Limit Values Additional components	Туре	Value Fo	rm
Hexachlorobenzene (CAS 118-74-1)	TWA	0.002 mg/m3	

Additional components	Туре	Value	Form
ree respirable Crystalline quartz) Silica CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupatior	al Health & Safety Code, Sch	nedule 1. Table 2)	
Additional components	Туре	Value	Form
Hexachlorobenzene	TWA	0.002 mg/m3	
CAS 118-74-1)			
Nuisance Dust	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
ree respirable Crystalline quartz) Silica CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		s for Chemical Substances, Oo	ccupational Health and
Additional components	Туре	Value	Form
Hexachlorobenzene	TWA	0.002 mg/m3	
CAS 118-74-1)			
Nuisance Dust	TWA	3 mg/m3	Respirable fraction.
roo rospirable Crystalling	TWA	10 mg/m3 0.025 mg/m3	Total dust.
ree respirable Crystalline quartz) Silica CAS 14808-60-7)	IWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg. 217/	2006, The Workplace Safety	And Health Act)	
Additional components	Туре	Value	Form
Hexachlorobenzene CAS 118-74-1)	TWA	0.002 mg/m3	
ree respirable Crystalline quartz) Silica	TWA	0.025 mg/m3	Respirable fraction.
CAS 14808-60-7)			
CAS 14808-60-7)	Exposure to Biological or Cl	nemical Agents)	
	Exposure to Biological or Cl Type	nemical Agents) Value	
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate)		c ,	
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1)	Type TWA	Value 5 mg/m3	Form
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components	Type TWA Type	Value 5 mg/m3 Value	Form
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene	Type TWA	Value 5 mg/m3	Form
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1)	Type TWA Type TWA	Value 5 mg/m3 Value 0.002 mg/m3	
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene	Type TWA Type	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3	Form Respirable particles. Inhalable
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1)	Type TWA Type TWA	Value 5 mg/m3 Value 0.002 mg/m3	Respirable particles.
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust	Type TWA Type TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3	Respirable particles. Inhalable
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry o	Type TWA Type TWA TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable. vironment)
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7)	Type TWA Type TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable.
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline (quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry of Additional components Hexachlorobenzene	Type TWA Type TWA TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable. vironment)
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry of Additional components Hexachlorobenzene (CAS 118-74-1)	Type TWA Type TWA TWA TWA TWA f Labor - Regulation Respect Type TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3 0.25 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline (quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry of Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust	Type TWA Type TWA TWA TWA TWA f Labor - Regulation Respect Type TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 ing the Quality of the Work En Value 0.025 mg/m3 10 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form Total dust.
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry of Additional components Hexachlorobenzene (CAS 118-74-1)	Type TWA Type TWA TWA TWA TWA f Labor - Regulation Respect Type TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3 0.25 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) (CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline (quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry of Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline (quartz) Silica	Type TWA Type TWA TWA TWA TWA TWA TWA TWA TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.025 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form Total dust.
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7) Canada. Quebec OELs. (Ministry o Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7)	Type TWA Type TWA TWA TWA TWA TWA TWA TWA TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.025 mg/m3 10 mg/m3 0.1 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form Total dust.
CAS 14808-60-7) Canada. Ontario OELs. (Control of Components DCPA (Dimethyl etracloroterephthalate) CAS 1861-32-1) Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica CAS 14808-60-7) Canada. Quebec OELs. (Ministry o Additional components Hexachlorobenzene (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 118-74-1) Nuisance Dust ree respirable Crystalline quartz) Silica (CAS 14808-60-7) JS. OSHA Table Z-1 Limits for Air	Type TWA Type TWA TWA TWA TWA TWA TWA TWA TWA TWA TWA	Value 5 mg/m3 Value 0.002 mg/m3 3 mg/m3 10 mg/m3 0.1 mg/m3 0.025 mg/m3 10 mg/m3 0.1 mg/m3 10 mg/m3 0.1 mg/m3	Respirable particles. Inhalable Respirable. vironment) Form Total dust. Respirable dust.

Additional components	Туре		Value	Form
Nuisance Dust	TWA		5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA		0.3 mg/m3	Total dust.
, , , , , , , , , , , , , , , , , , ,			0.1 mg/m3	Respirable.
Biological limit values	No biological exposure limi	its noted for the ingredie	ent(s).	
Exposure guidelines				
Canada - Alberta OELs: Si	kin designation			
Hexachlorobenzene (C	AS 118-74-1)	Can be absorbed t	through the skin.	
Canada - British Columbia	a OELs: Skin designation			
Hexachlorobenzene (C Canada - Manitoba OELs:		Can be absorbed t	through the skin.	
Hexachlorobenzene (C Canada - Ontario OELs: S		Can be absorbed t	through the skin.	
Hexachlorobenzene (C Canada - Quebec OELs: S		Can be absorbed t	through the skin.	
Hexachlorobenzene (C Canada - Saskatchewan C		Can be absorbed t	through the skin.	
Hexachlorobenzene (C US ACGIH Threshold Limi	AS 118-74-1) t Values: Skin designation	Can be absorbed t	through the skin.	
Hexachlorobenzene (C	AS 118-74-1)	Can be absorbed t	through the skin.	
Engineering controls	or other engineering contro	ditions. If applicable, use ols to maintain airborne een established, mainta	e process enclosu levels below reco ain airborne levels	be used. Ventilation rates ures, local exhaust ventilation, ommended exposure limits. If to an acceptable level. Ensure
Personal protective equipmen	t	-		
Eye/face protection	Wear safety glasses with s	ide shields (or goggles).	
Skin protection				e shoes are required. Chemica
Respiratory protection	Chemical respirator with or	rganic dust cartridge. (S	See label for more	complete instructions).
Hand protection	Wear protective gloves.			. , ,

9. Physical & Chemical Properties

Appearance	- Fine off-white (gray) to tan powder
Physical state	Solid.
Form	Powder.
Color	Off-white (gray) to tan
Odor	Slightly aromatic odor
Odor threshold	Not available
рН	Not available.
Vapor pressure	2.10E-01 mPa (2.5 x 10-6 torr) @ 25°C (gas saturation method)
Vapor density	Heavier than air
Boiling point	Decomposes at 360-370°C
Melting point/Freezing point	313 °F (156 °C) (313°F) (based on a.i.) / 311 °F (155 °C) estimated
Solubility (water)	Disperses
Specific gravity	Not available.
Relative density	Not available.
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.

Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
Evaporation rate	Not applicable
Percent volatile	Not applicable
Partition coefficient (n-octanol/water)	4.28 @ 25°C (a.i.)
Bulk density	0.25 g/cm3
Other data pH in aqueous solution	7 - 8

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids. Strong bases.
Hazardous decomposition products	This product may emit hazadous fumes of hydrogen chloride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED BREATHING APPARATUS when these conditions are present.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data

ACTHAL W-75 Herbicide acute dermal LD50 rabbit > 10000 mg/kg Toxicity Category IV inhalation LC50 rat > 5.7 mg/L Toxicity Category IV oral LD50 rat > 10000 mg/kg Toxicity Category IV oral LD50 rat > 10000 mg/kg Toxicity Category IV Keute effects Sensitization Not a sensitizer. Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Carcinogenicity Dacthal has been classified by EPA as a Group C, possible human carcinogen. ACGIH Carcinogens free respirable Crystalline (quartz) Silica (CAS A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) ZB Possibly carcinogenic to humans. Skin corrosion/irritation Direct contact with eyes may cause temporary irritation. Mutagenicity Not available. Teproductive effects This product is not expected to cause reproductive or developmental effects. Feratogenicity Not expected to be hazardous by WHMIS criteria.	Product	Species		Test Results	
dermal LD50rabit> 10000 mg/kg Toxicity Category IVinhalationLC50rat> 5.7 mg/L Toxicity Category IVoral LD50rat> 10000 mg/kg Toxicity Category IVconstructNot a sensitizer.constructNot a sensitizer.Chronic effectsNot a sensitizer.Dacthal has been classified by EPA as a Group C, possible human carcinogen.ACGIH Carcinogensfree respirable Crystalline { uart2 Silica (CASA2 Suspected human carcinogen.free respirable Crystalline { uart2 Silica (CASA2 Suspected humans.14808-60-7) Hexachlorobenzene (CAS 118-74-1)A3 Confirmed animal carcinogen with unknown relevance to tumans.free respirable Crystalline { uart2 Silica (CAS1 Carcinogenic to humans.14808-60-7) Hexachlorobenzene (CAS 118-74-1)28 Possibly carcinogenic to humans.free respirable Crystalline { uart2 Silica (CAS1 Carcinogenic to humans.14808-60-7) Hexachlorobenzene (CAS 118-74-1)28 Possibly carcinogenic to humans.free respirable Crystalline { uart2 Silica (CAS1 Carcinogenic to humans.free respirable Crystalline { uart2 Silica (CAS28 Possibly carcinogen { uart3 Silica (CASfree respirable Crystalline { uart3 Silica (CAS28 Possibly carcinogen { uart3 Silica (CASfree r	DACTHAL W-75 Herbicide				
LD50 rabit · abbit · abbit · 10000 mg/kg Toxicity Category IV inhalation LC50 rat · 5.7 mg/L Toxicity Category IV oral LD50 rat · 5.7 mg/L Toxicity Category IV · 6.7 mg/L Toxicity Category IV · 7.7 mg/L Toxi	<u>acute</u>				
inhalation > 5.7 mg/L Toxicity Category IV LC50 rat > 5.7 mg/L Toxicity Category IV oral > 10000 mg/kg Toxicity Category IV LD50 rat > 10000 mg/kg Toxicity Category IV Accute effects > 10000 mg/kg Toxicity Category IV bensitization Not a sensitizer. Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Chronic effects Dacthal has been classified by EPA as a Group C, possible human carcinogen. ACGIH Carcinogens Free respirable Crystalline (quartz) Silica (CAS A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evluation of Carcinogenicity I Carcinogenic to humans. I Aarcinogenic to humans. free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. I Aarcinogenic to humans. IARC Monographs. Overall Evluation of Carcinogenicity 2B Possibly carcinogenic to humans. I Aarcinogenic to humans. free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. I Carcinogenic to humans. IARC Monographs. Overall Evluation of Carcinogenic to humans. I Carcinogenic to humans. I Carcinogenic	dermal				
LC50rat> 5.7 mg/L Toxicity Category IVoral LD50rat> 10000 mg/kg Toxicity Category IVLD50rat> 10000 mg/kg Toxicity Category IVAccute effectsNot a sensitizer.StensitizationNot a sensitizer.Chronic effectsNot expected to be hazardousy WHMIS criteria. Prolonged inhalation may be harmful.CarcinogenicityDacthal has been classified by WHMIS criteria. Prolonged inhalation may be harmful.CarcinogensDacthal has been classified by EPA as a Group C, possible human carcinogen.ACGIH Carcinogensfree respirable Crystalline (uartz) Silica (CAS)A2 Suspected human carcinogen.free respirable Crystalline (uartz) Silica (CAS)A3 Confirmed animal carcinogen with unknown relevance to humans.fARC Monographs. Overall Evaluation of Carcinogenicity1 Carcinogenic to humans.free respirable Crystalline (uartz) Silica (CAS)1 Carcinogenic to humans.i4808-60-7) Hexachlorobenzene (CAS)118-74-1)2B Possibly carcinogenic to humans.i4808-60-7) Hexachlorobenzene (CAS)Iniritating to slightly irritating to skin.Gerious eye damage/irritationDirect contact with eyes may cause temporary irritation.AutagenicityNot available.Keproductive effectsThis product is not expected to be hazardous y WHMIS criteria.eratogenicityNot expected to be hazardous y WHMIS criteria.	LD50	rabbit		> 10000 mg/kg Toxicity Category IV	
oral LD50rat> 10000 mg/kg Toxicity Category IVAccute effectsNot a sensitizer.SensitizationNot a sensitizer.Chronic effectsNot expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful.CarcinogenicityDacthal has been classified by EPA as a Group C, possible human carcinogen.ACGIH CarcinogensFree respirable Crystalline (quartz) Silica (CASA2 Suspected human carcinogen.free respirable Crystalline (quartz) Silica (CASA2 Suspected human carcinogen with unknown relevance to humans.IARC Monographs. Overall Evaluation of CarcinogenicityA3 Confirmed animal carcinogen with unknown relevance to humans.IARC Monographs. Overall Evaluation of CarcinogenicityI carcinogenic to humans.IARC Monographs. Overall Evaluation of CarcinogenicityDirect contact with eyes may cause temporary irritation.Kin corrosion/irritationNon irritating to slightly irritating to skin.Gerious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.GratogenicityNot expected to be hazardous by WHMIS criteria.	inhalation				
LD50 rat > 10000 mg/kg Toxicity Category IV Acute effects Not a sensitizer. Sensitization Not a sensitizer. Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Carcinogenicity Dacthal has been classified by EPA as a Group C, possible human carcinogen. ACGIH Carcinogens Image: Carcinogens free respirable Crystalline (quartz) Silica (CAS) A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evluation of Carcinogenicity Image: Carcinogenic to humans. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) 2B Possibly carcinogenic to humans. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) 2B Possibly carcinogenic to humans. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) 2B Possibly carcinogenic to humans. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) Direct contact with eyes may: set temporary irritation. Skin corrosion/irritation Noi ritating to slightly irritation solightly irritation. Skin corrosion/irritation Autagericity Not available. Skin corrosion (irritation solightly irritation solightly irritation. Skin corrosi	LC50	rat		> 5.7 mg/L Toxicity Category IV	
Acute effects Sensitization Not a sensitizer. Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Carcinogenicity Dacthal has been classified by EPA as a Group C, possible human carcinogen. ACGIH Carcinogens free respirable Crystalline (quartz) Silica (CAS A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity genesitization Nor irritation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. Stance of the second s	oral				
SensitizationNot a sensitizer.SensitizationNot expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful.Chronic effectsNot expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful.CarcinogenicityDacthal has been classified by EPA as a Group C, possible human carcinogen.ACGIH CarcinogensFree respirable Crystalline (quartz) Silica (CAS 14808-60-7) Hexachlorobenzene (CAS 118-74-1)A2 Suspected human carcinogen with unknown relevance to humans.IARC Monographs. Overall Evaluation of CarcinogenicityA3 Confirmed animal carcinogen with unknown relevance to humans.IARC Monographs. Overall Evaluation of CarcinogenicityI Carcinogenic to humans.free respirable Crystalline (quartz) Silica (CAS 14808-60-7) Hexachlorobenzene (CAS 118-74-1)2B Possibly carcinogenic to humans.Skin corrosion/irritationNon irritating to slightly irritating to skin.EmporationGerious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityMutagenicityNot available.Emporduct is not expected to cause reproductive or developmental effects.Gerious effectsThis product is not expected to cause reproductive or developmental effects.Gerious effectsNot expected to be hazardous by WHMIS criteria.	LD50	rat		> 10000 mg/kg Toxicity Category IV	
Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Carcinogenicity Dacthal has been classified by EPA as a Group C, possible human carcinogen. ACGIH Carcinogens EPA as a Group C, possible human carcinogen. free respirable Crystalline (quartz) Silica (CAS 14808-60-7) A2 Suspected human carcinogen. Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity 1 Carcinogenic to humans. free respirable Crystalline (quartz) Silica (CAS 118-74-1) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity 1 Carcinogenic to humans. free respirable Crystalline (quartz) Silica (CAS 118-74-1) 2 B Possibly carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity 1 Carcinogenic to humans. free respirable Crystalline (quartz) Silica (CAS 118-74-1) 2 B Possibly carcinogenic to humans. IARC Monographs. Non irritating to slightly irritating to skin. End to skin. Genous eye damage/irritation Non irritating to slightly irritating to skin. End to skin. Genous eye damage/irritation Direct contact with eyes may cause temporary irritation. Mutagenicity Not available. Reproductive effects <td>Acute effects</td> <td></td> <td></td> <td></td>	Acute effects				
CarcinogenicityDacthal has been classified by EPA as a Group C, possible human carcinogen.ACGIH Carcinogensfree respirable Crystalline (quartz) Silica (CAS 14808-60-7) Hexachlorobenzene (CAS 118-74-1)A2 Suspected human carcinogen.IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS tak808-60-7)1 Carcinogenic to humans.IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS tak808-60-7)1 Carcinogenic to humans.IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS tak808-60-7)1 Carcinogenic to humans.IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS tak808-60-7)1 Carcinogenic to humans.IARC Monographs. Overall Evaluation of Carcinogenicity1 Carcinogenic to humans.MutagenicityNon irritating to slightly irritating to skin.Gerious eye damage/irritation MutagenicityDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.	Sensitization	Not a sensitizer.			
ACGIH Carcinogens free respirable Crystalline (quartz) Silica (CAS A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. IARC for evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. IARC monographs. Overall Evaluation of Carcinogenicity Silica (CAS 1 Carcinogenic to humans. IARC monographs. Overall Evaluation of Carcinogenicity Silica (CAS 1 Carcinogenic to humans. IARC monographs. Overall Evaluation of Carcinogenicity Direct contact with eves may cause temporary irritation. Skin corrosion/irritation Direct contact with eves may cause temporary irritation. Mutagenicity Not available. Reproductive effects This product is not expected to cause reproductive or developmental effects. Gradgenicity Not expected to be hazardous by WHMIS criteria.	Chronic effects	Not expected to be hazardous	by WHMIS criteria. Pr	olonged inhalation may be harmful.	
free respirable Crystalline (quartz) Silica (CAS A2 Suspected human carcinogen. 14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS) 1 Carcinogenic to humans. IARC Monographs. Overall Evaluation of Carcinogenic to Silich (respiration) Non irritating to slightly irritatime to skin. Skin corrosion/irritation Non irritating to slightly irritatime to skin. Beroductive effects Mutagenicity Not available. Not available. Reproductive effects This product is not expected to cause reproductive or developmental effects. Feratogenicity Not expected to be hazardous WHMIS criteria.	Carcinogenicity	Dacthal has been classified by	/ EPA as a Group C, po	ossible human carcinogen.	
14808-60-7) Hexachlorobenzene (CAS 118-74-1) A3 Confirmed animal carcinogen with unknown relevance to humans. IARC Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 14808-60-7) 1 Carcinogenic to humans. IARO Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 118-74-1) 1 Carcinogenic to humans. IARO Monographs. Overall Evaluation of Carcinogenicity free respirable Crystalline (quartz) Silica (CAS 118-74-1) 1 Carcinogenic to humans. IARO Monographs. Overall Evaluation of Carcinogenic to slightly irritating to slightly irritating to slightly irritating to skin. Direct contact with eyes may cause temporary irritation. Skin corrosion/irritation Non irritating to slightly irritating to skin. Direct contact with eyes may cause temporary irritation. Mutagenicity Not available. This product is not expected to cause reproductive or developmental effects. Reproductive effects This product is not expected to cause reproductive or developmental effects. Verate of to be hazardous by WHMIS criteria. Not expected to be hazardous by WHMIS criteria.	ACGIH Carcinogens				
IARC Monographs. Overall Evaluation of Carcinogenicity humans. free respirable Crystalline (quartz) Silica (CAS 1 Carcinogenic to humans. 14808-60-7) 1 Pessibly carcinogenic to humans. Hexachlorobenzene (CAS 118-74-1) 2B Possibly carcinogenic to humans. Skin corrosion/irritation Non irritating to slightly irritating to skin. Serious eye damage/irritation Direct contact with eyes may cause temporary irritation. Mutagenicity Not available. Reproductive effects This product is not expected to cause reproductive or developmental effects. Vot expected to be hazardous by WHMIS criteria.		(quartz) Silica (CAS	A2 Suspected humar	n carcinogen.	
free respirable Crystalline (quartz) Silica (CAS1 Carcinogenic to humans.14808-60-7)Hexachlorobenzene (CAS 118-74-1)2B Possibly carcinogenic to humans.Skin corrosion/irritationNon irritating to slightly irritating to skin.Gerious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.			5		
14808-60-7) Hexachlorobenzene (CAS 118-74-1)2B Possibly carcinogenic to humans.Skin corrosion/irritationNon irritating to slightly irritating to skin.Serious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.	IARC Monographs. Overall E	valuation of Carcinogenicity			
Skin corrosion/irritationNon irritating to slightly irritating to skin.Gerious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.		(quartz) Silica (CAS	1 Carcinogenic to hui	mans.	
Serious eye damage/irritationDirect contact with eyes may cause temporary irritation.MutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.	Hexachlorobenzene (CAS			2B Possibly carcinogenic to humans.	
AutagenicityNot available.Reproductive effectsThis product is not expected to cause reproductive or developmental effects.reratogenicityNot expected to be hazardous by WHMIS criteria.	Skin corrosion/irritation	Non irritating to slightly irritating to skin.			
Reproductive effectsThis product is not expected to cause reproductive or developmental effects.TeratogenicityNot expected to be hazardous by WHMIS criteria.	Serious eye damage/irritation	Direct contact with eyes may cause temporary irritation.		on.	
eratogenicity Not expected to be hazardous by WHMIS criteria.	Mutagenicity	Not available.			
	Reproductive effects	This product is not expected to	o cause reproductive of	r developmental effects.	
Synergistic materials Not available.	Teratogenicity	Not expected to be hazardous	by WHMIS criteria.		
	Synergistic materials	Not available.			

12. Ecological Information

Ecotoxicological data				
Components		Species	Test Results	
DCPA (Dimethyl tetraclorotereph	thalate) (CAS	S 1861-32-1)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	20 - 35 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	> 100 mg/l, 96 hours	
Ecotoxicity	Contains a substance which causes risk of hazardous effects to the environment.			
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.			
Aquatic toxicity	Not available.			
Persistence and degradability	Not available.			
Partition coefficient DACTHAL W-75 Herbicide	4.28, @ 25°C (a.i.)			
13. Disposal Consideration	ons			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging			le, follow label warnings even after container is oproved waste handling site for recycling or	

14. Transport Information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations	This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. CANADIAN REGULATIONS: This product is registered under the Pest Control Product Act of Canada. It is a violation of Canadian Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.
WHMIS status	Controlled
WHMIS classification	D2B - Other Toxic Effects-TOXIC

WHMIS classification WHMIS labeling



International Inventories

Country(s) or region	Inventory name On inventory (ye	es/no)*		
Canada	Domestic Substances List (DSL)	No		
Canada	Non-Domestic Substances List (NDSL)	No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No		
*A "Vea" indicates that all companying of this product comply with the inventory requirements administered by the governing country(a)				

"Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

References	 ACGIH®: American Conference of Governmental Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act EPA: Environmental Protection Agency FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer NTP: National Toxicology Program OSHA: Occupational Safety and Health Agency SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act DOT: Department of Transportation IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association 		
Recommended restrictions	Keep out of the Reach of Children!		
HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0		
NFPA ratings	Health: 2 Flammability: 0 Instability: 0		
Disclaimer	 AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates. ©2015 AMVAC Chemical Corporation. All Rights Reserved. AMVAC, Dacthal, and the Beaker Logo are trademarks owned by AMVAC Chemical Corporation. ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists. Chemtrec is a trademark of the 		
	American Chemistry Council, Inc. HMIS is a trademark of the American Coatings Association. NFPA is a trademark of the National Fire Protection Association, Inc.		
Prepared by	Not available.		
This data sheet contains changes from the previous version in section(s):	Product and Company Identification: Synonyms Composition / Information on Ingredients: Potential Compounds Formed Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Property Data Ecological Information: Ecotox Property Data Transport Information: Material Transportation Information HazReg Data: International Inventories GHS: Classification		