

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

1/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

Trade name EMESTO® SILVER

Product code (UVP) 79521642

SDS Number 102000022709

PCP Registration No. 30361

#### Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Fungicide

Restrictions on use See product label for restrictions.

#### Information on supplier

Supplier Bayer CropScience Inc  
#200, 160 Quarry Park Blvd, SE  
Calgary, Alberta T2C 3G3  
Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-888-283-6847

### SECTION 2: HAZARDS IDENTIFICATION

#### Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

#### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Penflufen	494793-67-8	9.35
Prothioconazole	178928-70-6	1.68

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

2/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

---

### SECTION 4: FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

#### Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

---

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

<b>Suitable</b>	Water spray, Carbon dioxide (CO <sub>2</sub> ), Foam, Sand
<b>Unsuitable</b>	High volume water jet

**Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Hydrogen fluoride, Sulphur oxides, Hydrogen chloride (HCl)

#### Advice for firefighters

**Special protective equipment for firefighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

3/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

---

<b>Flash point</b>	> 100 °C No flash point - Determination conducted up to the boiling point.
<b>Auto-ignition temperature</b>	510 °C / 950 °F
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

4/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Penflufen	494793-67-8	1.1 mg/m <sup>3</sup> (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup> (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Hand protection** Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** red  
**Physical State** suspension  
**Odor** weak characteristic  
**Odour Threshold** No data available  
**pH** 5.0 - 6.5 (100 %) (23 °C)  
**Vapor Pressure** No data available  
**Vapor Density (Air = 1)** No data available  
**Density** ca. 1.07 g/cm<sup>3</sup> (20 °C)

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

5/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

---

<b>Evaporation rate</b>	No data available
<b>Boiling Point</b>	No data available
<b>Melting / Freezing Point</b>	No data available
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	Not applicable
<b>Decomposition temperature</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Viscosity</b>	70 - 250 mPa.s ( 20 °C) Velocity gradient 20 /s 65 - 90 mPa.s ( 20 °C) Velocity gradient 100 /s
<b>Flash point</b>	> 100 °C No flash point - Determination conducted up to the boiling point.
<b>Auto-ignition temperature</b>	510 °C / 950 °F
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

<b>Thermal decomposition</b>	No data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Ingestion, Skin Absorption, Eye contact, Inhalation
------------------------	---

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

6/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

### Immediate Effects

**Skin** Harmful if absorbed through skin.  
**Ingestion** Harmful if swallowed.

### Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2,000 mg/kg  
**Acute inhalation toxicity** LC50 (Rat) > 3.875 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
Highest attainable concentration.  
**Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg  
**Skin corrosion/irritation** No skin irritation (Rabbit)  
**Serious eye damage/eye irritation** No eye irritation (Rabbit)  
**Respiratory or skin sensitisation** Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity – repeated exposure

Penflufen did not cause specific target organ toxicity in experimental animal studies.  
Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

None.

### NTP

None.

### IARC

None.

### OSHA

None.

### Assessment toxicity to reproduction

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

7/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

### Assessment developmental toxicity

Penflufen did not cause developmental toxicity in rats and rabbits. Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

### Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Cyprinus carpio (Carp)) 1.41 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 40.7 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 71.3 mg/l Growth rate; Exposure time: 72 h
<b>Biodegradability</b>	Penflufen: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable
<b>Koc</b>	Penflufen: Koc: 280 Prothioconazole: Koc: 1765
<b>Bioaccumulation</b>	Penflufen: Bioconcentration factor (BCF) 142 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate.
<b>Mobility in soil</b>	Penflufen: Moderately mobile in soils Prothioconazole: Slightly mobile in soils
<b>Additional ecological information</b>	No other effects to be mentioned.
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

8/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Product</b>	Dispose in accordance with all local, state/provincial and federal regulations. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
<b>Contaminated packaging</b>	Do not re-use empty containers. Triple rinse containers. Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.

### SECTION 14: TRANSPORT INFORMATION

#### TDG

UN number	<b>3082</b>
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN)

#### 49CFR

Not dangerous goods / not hazardous material

#### IMDG

UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION)

#### IATA

UN number	<b>3082</b>
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PENFLUFEN SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

9/10  
Revision Date: 10/26/2018  
Print Date: 10/26/2018

### Further Information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1.  
This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

---

## SECTION 15: REGULATORY INFORMATION

PCP Registration No. 30361

---

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 0      Instability - 0      Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1      Flammability - 0      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

# SAFETY DATA SHEET



## EMESTO® SILVER

Version 2.0 / CDN  
102000022709

10/10

Revision Date: 10/26/2018

Print Date: 10/26/2018

---

**Revision Date:** 10/26/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.