

INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

1/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier	
Trade name	INFINITY® HERBICIDE
Product code (UVP)	79002149
SDS Number	102000011554
PCP Registration No.	28738
Relevant identified uses of th	e substance or mixture and uses advised against
Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience Inc #200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3 Canada
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations Aspiration hazard: Category 1

Carcinogenicity: Category 2

Reproductive toxicity: Category 2

Eye irritation: Category 2B

Acute toxicity(Oral): Category 4

Flammable liquids: Category 4



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

2/13 Revision Date: 03/28/2016 Print Date: 03/31/2016



Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes eye irritation. Harmful if swallowed. Combustible liquid

Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. No smoking. IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician. Do NOT induce vomiting. Rinse mouth. IF exposed or concerned: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Pyrasulfotole	365400-11-9	3.3
Bromoxynil octanoate	1689-99-2	13.4
Bromoxynil heptanoate	56634-95-8	12.9
Mefenpyr-diethyl	135590-91-9	0.83
Naphthalene	91-20-3	5.09



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

3/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

SECTION 4: FIRST AID MEASURES

Description of first aid measures				
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.			
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.			
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.			
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.			
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Aspiration may cause pulmonary oedema and pneumonitis.			
Indication of any immediate medical attention and special treatment needed				
Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.			
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.			

SECTION 5: FIREFIGHTING MEASURES

Water, Alcohol-resistant foam, Dry powder, Carbon dioxide (CO2)
None known.
Dangerous gases are evolved in the event of a fire.
Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

4/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Further information	Evacuate personnel to safe areas. Avoid contact with spilled product or contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point Auto-ignition temperature	90 ℃ No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Precautions	Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Evacuate and isolate spill area.		
Methods and materials for containment and cleaning up			
Methods for cleaning up	Dike area to prevent runoff. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.		
Additional advice	Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.		
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.		

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

5/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove and wash contaminated gloves, including the inside, before re-use. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container. Store in a place accessible by authorized persons only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrasulfotole	365400-11-9	0.3 mg/m3 (TWA)		OES BCS*
Bromoxynil octanoate	1689-99-2	0.21 mg/m3 (SK-SEN)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	07 2009	CAD AB OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	07 2009	CAD AB OEL
Naphthalene	91-20-3	10 ppm (TWA)	09 2011	CAD BC OEL
Naphthalene	91-20-3	15 ppm (STEL)	09 2011	CAD BC OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2011	CAD MB OEL
Naphthalene	91-20-3	15 ppm (STEV)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (TWAEV)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (8 HR ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	15 ppm	05 2009	CAD SK



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

6/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

		(15 MIN ACL)		OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	11 2011	OEL (QUE)
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.	
Hand protection	Chemical resistant nitrile rubber gloves	
Eye protection	Tightly fitting safety goggles	
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.	
General protective measures	Use only in area provided with appropriate exhaust ventilation. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	beige to brown
Physical State	Liquid clear
Odor	aromatic solvent-like
Odour Threshold	No data available
рН	ca. 3.9 at 10 %
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.14 g/cm³ at 20 ℃
Evaporation rate	No data available

INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554



7/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Boiling Point Melting / Freezing Point	No data available No data available
Water solubility	No data available
Solubility in other solvents	No data available
Minimum Ignition Energy	Not applicable
Decomposition temperature	Not applicable
Partition coefficient: n- octanol/water	No data available
Viscosity	19.8 mPa.s at 25 ℃
Flash point Auto-ignition temperature	90 ℃ No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	Not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion
Immediate Effects	
Eye	Causes eye irritation.
Skin	May cause skin irritation.
Ingestion	Harmful or fatal if swallowed.

INFINITY® HERBICIDE



Version 2.0 / CDN 102000011554 8/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Inhalation Harmful if inhaled. Information on toxicological effects		
Acute oral toxicity	LD50 (female Rat) > 300 - < 2,000 mg/kg	
Acute inhalation toxicity	LC50 (male/female combined Rat) > 5 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration.	
	LC50 (male/female combined Rat) > 20 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.	
Acute dermal toxicity	LD50 (male/female combined Rat) > 4,000 mg/kg	
Skin irritation	Mild skin irritation. (Rabbit)	
Eye irritation	Moderate eye irritation. (Rabbit)	
Sensitisation	Non-sensitizing. (Guinea pig)	

Assessment repeated dose toxicity

Pyrasulfotole did not cause specific target organ toxicity in experimental animal studies. Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Bromoxynil heptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Bromoxynil heptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Bromoxynil heptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene	91-20-3	Group A3
NTP		
Naphthalene	91-20-3	

INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554



9/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

IARC

Naphthalene

OSHA

None.

Assessment toxicity to reproduction

Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats. Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats. Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams. Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil heptanoate.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.046 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	EC50 (Daphnia magna (Water flea)) 0.031 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil heptanoate.

91-20-3

Overall evaluation: 2B

INFINITY® HERBICIDE



Version 2.0 / CDN 102000011554

10/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Toxicity to aquatic plants	EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l The value mentioned relates to the active ingredient bromoxynil octanoate.
Biodegradability	Pyrasulfotole: Not rapidly biodegradable Bromoxynil octanoate: Not rapidly biodegradable Bromoxynil heptanoate: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable
Кос	Pyrasulfotole: Koc: 20 - 213 Bromoxynil octanoate: Koc: 639 Bromoxynil heptanoate: Koc: ca. 600 Mefenpyr-diethyl: Koc: 625
Bioaccumulation	Pyrasulfotole: Does not bioaccumulate. Bromoxynil octanoate: Bioconcentration factor (BCF) 230 Does not bioaccumulate. Bromoxynil heptanoate: No data available, Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
Mobility in soil	Pyrasulfotole: Moderately mobile in soils Bromoxynil octanoate: Slightly mobile in soils Bromoxynil heptanoate: Slightly mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Dispose in accordance with all local, state/provincial and federal
regulations.
Do not contaminate water, food, or feed by disposal.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

11/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

	Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG UN number Labels Packaging group Marine pollutant Proper shipping name	3082 9 III Marine pollutant ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES)
49CFR NA-Number Packaging group Marine pollutant Proper shipping name RQ	1993 III Marine pollutant COMBUSTIBLE LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES, NAPHTHALENE) Reportable Quantity is reached with 1,964 lb of product.
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	3082 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

12/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

Further Information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 28738 US Federal Regulations TSCA list None. US. Toxic Substances Control Act (TS None. SARA Title III - Section 302 - Notification None.	, , , , , , , , , , , , , , , , , , , ,	Export Notification (40 CFR 707, Subpt D)
SARA Title III - Section 313 - Toxic Che Bromoxynil octanoate Naphthalene US States Regulatory Reporting CA Prop65 This product contains a chemical known Naphthalene	1689-99-2 91-20-3	
This product contains a chemical known reproductive harm. Bromoxynil octanoate US State Right-To-Know Ingredients	1689-99-2	Developmental toxin.
Bromoxynil octanoate Naphthalene	1689-99-2 91-20-3	NJ, RI CA, CT, IL, MN, NJ, RI
Canadian Regulations Canadian Domestic Substance List Naphthalene	91-20-3	
Environmental CERCLA Naphthalene Clean Water Section 307 Priority Pollu Naphthalene Safe Drinking Water Act Maximum Con Naphthalene	91-20-3	100 lbs



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

13/13 Revision Date: 03/28/2016 Print Date: 03/31/2016

SECTION 16: OTHER INFORMATION

Abbreviations and ac	cronyms			
49CFR	Code of Federa	Regulations, Title 49		
ACGIH	US. ACGIH Thr	US. ACGIH Threshold Limit Values		
CAS-Nr.	Chemical Abstra	Chemical Abstracts Service number		
EINECS	European inven	European inventory of existing commercial substances		
ELINCS	European list of	European list of notified chemical substances		
IARC	US. IARC Mond	US. IARC Monographs on Occupational Exposures to Chemical Agents		
ΙΑΤΑ	International Air	Transport Association		
IMDG	International Ma	International Maritime Dangerous Goods		
N.O.S.	Not otherwise s	Not otherwise specified		
NTP	US. National To	US. National Toxicology Program (NTP) Report on Carcinogens		
OECD	Organization for Economic Co-operation and Development			
TDG	Transportation of	of Dangerous Goods		
TWA	Time weighted a	average		
UN	United Nations	United Nations		
WHO	World health or	ganisation		
NFPA 704 (National Fire Protection Association):				
Health - 1	Flammability - 2	Instability - 1	Others - none	

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 2Physical Hazard - 1PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 03/28/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.