

PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 05/02/2019 S00041647104

SECTION 1. IDENTIFICATION

Product name : PEAK 75WG

Design code : A8714C

Product Registration number : 25310

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

Emergency telephone num-

bei

1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Combustible dust : Category 1

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

H302 Harmful if swallowed.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 05/02/2019 S00041647104

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 5 %

Other hazards

May form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
prosulfuron (ISO)	94125-34-5	75
silicic acid, calcium salt	1344-95-2	>= 1 - < 5
reaction product of naphthalene, bu- tanol, sulfonated and neutralized by caustic soda	Not Assigned	>= 1 - < 5

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.



PEAK 75WG

Version Re

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

Most important symptoms and effects, both acute and

and effects, both acute an delayed

Nonspecific

No symptoms known or expected.

Notes to physician : There is no specific antidote available.

Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing me-

dia

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for dis-

posal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE



PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. S00041647104

Advice on safe handling

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-venti-

lated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Further information on storage stability

Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient

temperatures.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex-	Control parame- ters / Permissible	Basis
		posure)	concentration	
prosulfuron (ISO)	94125-34-5	TWA	4 mg/m3	Syngenta
silicic acid, calcium salt	1344-95-2	TWAEV (to-	10 mg/m3	CA QC OEL
		tal dust)		
		TWA	10 mg/m3	CA AB OEL
		TWA (Total	10 mg/m3	CA BC OEL
		dust)		
		TWA (respir-	3 mg/m3	CA BC OEL
		able dust		
		fraction)		

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

The extent of these protection measures depends on the ac-

tual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene ad-

vice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection : No special protective equipment required.

Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job re-

quirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Colour : tan to brownish

Odour : sweetish

Odour Threshold : No data available

pH : 5-8

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

Flammability (solid, gas) : May form combustible dust concentrations in air.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1 g/cm3

Bulk density : 0.4 - 0.7 g/cm3

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-oc-

tanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Minimum ignition energy : 300 - 1,000 mJ

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): 1,000 - 2,000 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

prosulfuron (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 986 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,400 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 3,000 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation



PEAK 75WG

Revision Date: Version SDS Number: This version replaces all previous versions.

05/02/2019 S00041647104 1.0

Components:

prosulfuron (ISO):

Species Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Product:

Species Rabbit

Result No eye irritation

Components:

prosulfuron (ISO):

Species Rabbit

Result No eye irritation

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Species Rabbit

Result Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Test Type **Buehler Test Species** Guinea pig

Result Did not cause sensitisation on laboratory animals.

Components:

prosulfuron (ISO):

Species Guinea pig

Result Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

prosulfuron (ISO):

sessment

Germ cell mutagenicity - As- : Animal testing did not show any mutagenic effects.

silicic acid, calcium salt:

Germ cell mutagenicity - As-

Animal testing did not show any mutagenic effects., In vitro

sessment tests did not show mutagenic effects

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Germ cell mutagenicity - As- : In vitro tests did not show mutagenic effects

sessment



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104 This version replaces all previous versions.

Carcinogenicity

Components:

prosulfuron (ISO):

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

silicic acid, calcium salt:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

prosulfuron (ISO):

Reproductive toxicity - As-

sessment

No toxicity to reproduction

silicic acid, calcium salt:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT - single exposure

Components:

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Assessment The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract irri-

tation.

Repeated dose toxicity

Components:

prosulfuron (ISO):

Remarks No adverse effect has been observed in chronic toxicity tests.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

Toxicity to algae/aquatic

plants

EbC50 (Desmodesmus subspicatus (green algae)): 3.2 mg/l

Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity

Very toxic to aquatic life., Classification of the product is based on the summation of the concentrations of classified

components.

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects., Classification of the product is based on the summation of the concen-

trations of classified components.

Components:

prosulfuron (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.074

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.008

mg/l

End point: Growth rate Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)): 0.00126 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.00083 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 5.8 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates

(Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 32 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l



PEAK 75WG

Version 1.0 Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 200

mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

Persistence and degradability

Components:

prosulfuron (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 45 - 60 d

Remarks: Product is not persistent.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Biodegradability : Result: Readily biodegradable.

Remarks: Information given is based on data obtained from

similar substances.

Bioaccumulative potential

Components:

prosulfuron (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-oc-

tanol/water

log Pow: -0.76 (25 °C)

log Pow: -0.21 (25 °C)

log Pow: 1.5 (25 °C)

Mobility in soil

Components:

prosulfuron (ISO):

Distribution among environ-

mental compartments

Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 11 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.



PEAK 75WG

Version 1.0

Revision Date: 05/02/2019

SDS Number: S00041647104

This version replaces all previous versions.

Other adverse effects

Components:

prosulfuron (ISO):

Results of PBT and vPvB as- :

sessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling infor-

mation

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with lo-

cal regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling infor-

mation

Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(PROSULFURON)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(PROSULFURON)

Class : 9 Packing group : III

Labels : Miscellaneous



PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 05/02/2019 S00041647104

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

956

(PROSULFURON)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(PROSULFURON)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(PROSULFURON)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Caution

Skull and crossbones

poison

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.



PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. 305/02/2019 S00041647104

prosulfuron (ISO)

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada, British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 -Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC -Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information Sys-



PEAK 75WG

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 05/02/2019 S00041647104

Revision Date : 05/02/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN