

1/13

### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name PUMA® ADVANCE HERBICIDE

Product code (UVP) 79390394

**SDS Number** 102000017228

PCP Registration No. 29615

Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use**See product label for restrictions.

Information on supplier

**Supplier** Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

#### **SECTION 2: HAZARDS IDENTIFICATION**

### Classified in accordance with Part 2 of the Hazardous Products Regulations

Aspiration hazard, Eye irritation: Category 1 Skin irritation, Carcinogenicity: Category 2 Acute toxicity(Inhalation): Category 4

#### Labelling in accordance with Part 3 of the Hazardous Products Regulations







Signal word: Danger

**Hazard statements** 

May be fatal if swallowed and enters airways.

Causes serious eye damage.

Causes skin irritation.



#### **PUMA® ADVANCE HERBICIDE**

 Version 2.0 / CDN
 Revision Date: 06/12/2017

 102000017228
 Print Date: 10/03/2017

Suspected of causing cancer.

Harmful if inhaled.

#### **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing mist and spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF ON SKIN: Wash with plenty of water/ soap.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

IF exposed or concerned: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local regulation.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Fenoxaprop-P-ethyl	71283-80-2	8.8
Mefenpyr-diethyl	135590-91-9	4.4
Benzenesulfonic acid, 4-C10-14-alkyl derivs., calcium salts	90194-26-6	3.2
2-Methylpropan-1-ol	78-83-1	1.8
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	11.4
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	52.9
Naphthalene	91-20-3	7.9

### **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

General advice

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.



### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

> minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

> and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable None known.

Special hazards arising

from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point 103 °C

**Auto-ignition temperature** No data available Lower explosion limit No data available Upper explosion limit No data available



### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

**Explosivity** Not applicable

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

Advice on safe handling Maintain exposure levels below the exposure limit through the use of

general and local exhaust ventilation. Handle and open container in a

manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area. Protect from freezing.



# **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN 102000017228

**5/13**Revision Date: 06/12/2017
Print Date: 10/03/2017

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fenoxaprop-P-ethyl	71283-80-2	2.6 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	07 2009	CAD AB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	09 2011	CAD BC OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	03 2011	CAD MB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	60 ppm (15 MIN ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (8 HR ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	11 2011	OEL (QUE)
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,590 mg/m3/400 ppm (TWA)	07 2009	CAD AB OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	200 mg/m3 (TWA)	07 2009	CAD AB OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	05 2013	CAD BC OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	03 2014	CAD MB OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	11 2010	CAD ON OEL



# **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN 102000017228

**6/13**Revision Date: 06/12/2017
Print Date: 10/03/2017

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	525 mg/m3 (TWA)	11 2010	CAD ON OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	500 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	250 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 ppm (8 HR ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	200 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,590 mg/m3/400 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	07 2009	CAD AB OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	07 2009	CAD AB OEL
Naphthalene	91-20-3	10 ppm (TWA)	09 2011	CAD BC OEL
Naphthalene	91-20-3	15 ppm (STEL)	09 2011	CAD BC OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2011	CAD MB OEL
Naphthalene	91-20-3	10 ppm (TWA)	11 2010	CAD ON OEL
Naphthalene	91-20-3	15 ppm (STEL)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (8 HR ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	15 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	11 2011	OEL (QUE)



### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

**Hand protection** Chemical-resistant gloves made of waterproof material such as

neoprene, butyl rubber, barrier laminate or nitrile rubber.

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

Coveralls over short-sleeved shirt and short pants.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** beige to brown

**Physical State** Liquid Odor aromatic

**Odour Threshold** No data available

На ca. 5.4 at 10 % (23 °C) (deionized water)

**Vapor Pressure** No data available Vapor Density (Air = 1) No data available Density 1.03 g/cm3 at 20 °C **Evaporation rate** No data available **Boiling Point** No data available **Melting / Freezing Point** No data available

Water solubility No data available

**Minimum Ignition Energy** Not applicable **Decomposition** Not applicable

temperature



### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

Partition coefficient: n-

octanol/water

No data available

Viscosity 15.7 mPa.s

Flash point 103 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition Not applicable

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous** 

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials No data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin Absorption, Ingestion, Inhalation

**Immediate Effects** 

**Eye** Corrosive - causes irreversible eye damage.

**Skin** Causes skin irritation. Harmful if absorbed through skin.

**Ingestion** Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.1 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

**Skin irritation** Moderate skin irritation. (Rabbit)



### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

Eye irritationSevere eye irritation. (Rabbit)SensitisationNon-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity - repeated exposure

Fenoxaprop-P-ethyl did not cause specific target organ toxicity in rats. Fenoxaprop-P-ethyl caused specific target organ toxicity in experimental animal studies in mice in the following organ(s): Kidney. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Fenoxaprop-P-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fenoxaprop-P-ethyl demonstrated no carcinogenic potential in a lifetime feeding study in rats. Fenoxaprop-P-ethyl caused an increased incidence of liver tumours in mice at high doses. Fenoxaprop-P-ethyl causes tumours through peroxisome proliferation. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	Group A3
Naphthalene	91-20-3	Group A3

**NTP** 

Naphthalene 91-20-3

IARC

Naphthalene 91-20-3 Overall evaluation: 2B

**OSHA** 

None.

### Assessment toxicity to reproduction

Fenoxaprop-P-ethyl did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Fenoxaprop-P-ethyl did not cause developmental toxicity in rats and rabbits. Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**



10/13

### **PUMA® ADVANCE HERBICIDE**

Version 2.0 / CDN Revision Date: 06/12/2017 102000017228 Print Date: 10/03/2017

Exposure time: 96 h

The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 1.058 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.

No acute toxicity was observed at its limit of water solubility.

Exposure time: 72 h

The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.

**Biodegradability** Fenoxaprop-P-ethyl:

Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

**Koc** Fenoxaprop-P-ethyl: Koc: 11354

Mefenpyr-diethyl: Koc: 625

**Bioaccumulation** Fenoxaprop-P-ethyl: Bioconcentration factor (BCF) 338

Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

**Mobility in soil** Fenoxaprop-P-ethyl: Immobile in soil

Mefenpyr-diethyl: Slightly mobile in soils

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift or runoff from treated areas may adversely affect non-target plants.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Follow advice on product label and/or leaflet.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.

Follow advice on product label and/or leaflet.

#### **SECTION 14: TRANSPORT INFORMATION**

**TDG** 

UN number **3082** Labels 9



### **PUMA® ADVANCE HERBICIDE**

 Version 2.0 / CDN
 Revision Date: 06/12/2017

 102000017228
 Print Date: 10/03/2017

Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL)

49CFR

UN number 3082
Class 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL, NAPHTHALENE)

RQ Reportable Quantity is reached with 1,176 lb of product.

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FENOXAPROP-P-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

#### **SECTION 15: REGULATORY INFORMATION**

PCP Registration No. 29615



12/13

### **PUMA® ADVANCE HERBICIDE**

 Version 2.0 / CDN
 Revision Date: 06/12/2017

 102000017228
 Print Date: 10/03/2017

#### **US Federal Regulations**

**TSCA list** 

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Naphthalene 91-20-3 0.1%

**US States Regulatory Reporting** 

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene 91-20-3

**US State Right-To-Know Ingredients** 

2-Methylpropan-1-ol 78-83-1 CA, CT, IL, MN, NJ, RI Solvent Naphtha (petroleum), heavy 64742-94-5 CA, CT, MN, NJ, RI

aromatic

Naphthalene 91-20-3 CA, CT, IL, MN, NJ, RI

**Canadian Regulations** 

**Canadian Domestic Substance List** 

Benzenesulfonic acid, 4-C10-14-alkyl 90194-26-6

derivs., calcium salts

2-Methylpropan-1-ol 78-83-1 Alcohols, C11-14-iso-, C13-rich, 78330-21-9

ethoxylated

Solvent Naphtha (petroleum), heavy 64742-94-5

aromatic

Naphthalene 91-20-3

**Environmental** 

**CERCLA** 

2-Methylpropan-1-ol 78-83-1 Naphthalene 91-20-3

**Clean Water Section 307 Priority Pollutants** 

Naphthalene 91-20-3
Safe Drinking Water Act Maximum Contaminant Levels

Naphthalene 91-20-3

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act



### **PUMA® ADVANCE HERBICIDE**

 Version 2.0 / CDN
 Revision Date: 06/12/2017

 102000017228
 Print Date: 10/03/2017

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date:** 06/12/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.